

B.Tech. VI Semester (Main/Back) Examination, May 2015

Computer Science & IT

6CS2A Design and Analysis of Algorithms

Time : 3 Hours

Maximum Marks : 80

Min. Passing Marks : 24

Instructions to Candidates:

Attempt any **five** questions, selecting one question from **each** unit. All questions carry equal marks. (Schematic diagrams must be shown wherever necessary. Any data you feel missing suitably be assumed and stated clearly. Units of quantities used/calculated must be stated clearly.

Unit - I

1. a) Derive the recurrence relation for merge sort algorithm's time complexity. Also, solve it (8)
- b) Solve the following optimal merge pattern problem using greedy approach
5,4,7,2,9,11,4,8 (8)

OR

1. a) Describe Strassen's method of matrix multiplication (8)
- b) Consider a knapsack of capacity 10 and items with prices as (40,30,20,50) and weights (5,4,6,3). What is the maximum profit that can be earned if fractional items are allowed (8)

Unit - II

2. a) Solve the following instance of LCS problem through dynamic programming
x=ABCD CDBCAD
y=BACCD CABBD (8)
- b) Compare dynamic programming and divide and conquer approach (4)
- c) State lower bound theory rtuonline.com (4)

OR

2. a) Find the optimal parenthesization of multiplication of a matrix chain specified by (4,16,10,8,20). Show all tables and decision steps involved (12)
- b) What is backtracking (4)

Unit - III


3. a) Find the pattern ABCBC in the text ACABABCABCBCA using KMP matcher (10)
- b) Discuss the formulation of simple assignment problem of size n (6)

rtuonline.com OR

3. a) Describe Boyer moore pattern matching algorithm with appropriate examples of good prefix and bad character (10)
- b) What is importance of Rabin Karp string matching algorithm (6)

Unit - IV

4. a) Compare Las Vegas and Monte carlo algorithmic approaches (6)
- b) Give a randomized solution for Min-cut of following graph (8)



- c) State multicommodity flow problem (2)

OR

4. a) Solve $f = (x_1 \vee \bar{x}_2)(x_3 \vee \bar{x}_4)(\bar{x}_1 \vee x_3)(x_2 \vee \bar{x}_5)(x_4 \vee x_6)(x_4 \vee \bar{x}_6)$ using a randomized algorithm. (10)
- b) Briefly describe flow shop scheduling and network capacity assignment problem (6)

5. Write short notes on any two
- Complexity classes of decision problems.
 - Approximation algorithms.
 - Cook's theorem and its applications.

(8+8)

<http://questionpaperresult.com>